



**Fraunhofer** Institut  
Techno- und  
Wirtschaftsmathematik

J. Linn, T. Stephan

Simulation of quasistatic deformations  
using discrete rod models

© Fraunhofer-Institut für Techno- und Wirtschaftsmathematik ITWM 2008

ISSN 1434-9973

Bericht 144 (2008)

Alle Rechte vorbehalten. Ohne ausdrückliche schriftliche Genehmigung des Herausgebers ist es nicht gestattet, das Buch oder Teile daraus in irgendeiner Form durch Fotokopie, Mikrofilm oder andere Verfahren zu reproduzieren oder in eine für Maschinen, insbesondere Datenverarbeitungsanlagen, verwendbare Sprache zu übertragen. Dasselbe gilt für das Recht der öffentlichen Wiedergabe.

Warennamen werden ohne Gewährleistung der freien Verwendbarkeit benutzt.

Die Veröffentlichungen in der Berichtsreihe des Fraunhofer ITWM können bezogen werden über:

Fraunhofer-Institut für Techno- und  
Wirtschaftsmathematik ITWM  
Fraunhofer-Platz 1

67663 Kaiserslautern  
Germany

Telefon: 06 31/3 16 00-0

Telefax: 06 31/3 16 00-10 99

E-Mail: [info@itwm.fraunhofer.de](mailto:info@itwm.fraunhofer.de)

Internet: [www.itwm.fraunhofer.de](http://www.itwm.fraunhofer.de)

# Vorwort

Das Tätigkeitsfeld des Fraunhofer-Instituts für Techno- und Wirtschaftsmathematik ITWM umfasst anwendungsnahe Grundlagenforschung, angewandte Forschung sowie Beratung und kundenspezifische Lösungen auf allen Gebieten, die für Techno- und Wirtschaftsmathematik bedeutsam sind.

In der Reihe »Berichte des Fraunhofer ITWM« soll die Arbeit des Instituts kontinuierlich einer interessierten Öffentlichkeit in Industrie, Wirtschaft und Wissenschaft vorgestellt werden. Durch die enge Verzahnung mit dem Fachbereich Mathematik der Universität Kaiserslautern sowie durch zahlreiche Kooperationen mit internationalen Institutionen und Hochschulen in den Bereichen Ausbildung und Forschung ist ein großes Potenzial für Forschungsberichte vorhanden. In die Berichtreihe sollen sowohl hervorragende Diplom- und Projektarbeiten und Dissertationen als auch Forschungsberichte der Institutsmitarbeiter und Institutsgäste zu aktuellen Fragen der Techno- und Wirtschaftsmathematik aufgenommen werden.

Darüber hinaus bietet die Reihe ein Forum für die Berichterstattung über die zahlreichen Kooperationsprojekte des Instituts mit Partnern aus Industrie und Wirtschaft.

Berichterstattung heißt hier Dokumentation des Transfers aktueller Ergebnisse aus mathematischer Forschungs- und Entwicklungsarbeit in industrielle Anwendungen und Softwareprodukte – und umgekehrt, denn Probleme der Praxis generieren neue interessante mathematische Fragestellungen.



Prof. Dr. Dieter Prätzel-Wolters  
Institutsleiter

Kaiserslautern, im Juni 2001



## FAST SIMULATION OF QUASISTATIC CABLE DEFORMATIONS USING DISCRETE ROD MODELS

**Joachim Linn and Thomas Stephan**

Department Mathematical Methods for Dynamics and Durability  
Fraunhofer Institut Techno- und Wirtschaftsmathematik (ITWM)  
Fraunhofer-Platz 1, 67663 Kaiserslautern, Germany  
e-mail: linn@itwm.fraunhofer.de

**Keywords:** quasistatic deformations, geometrically exact rod models, variational formulation, energy minimization, finite differences, nonlinear conjugate gradients

**Abstract.** *Recently we developed a discrete model of elastic rods with symmetric cross section suitable for a fast simulation of quasistatic deformations [33]. The model is based on Kirchhoff’s geometrically exact theory of rods. Unlike simple models of “mass & spring” type typically used in VR applications, our model provides a proper coupling of bending and torsion. The computational approach comprises a variational formulation combined with a finite difference discretization of the continuum model. Approximate solutions of the equilibrium equations for sequentially varying boundary conditions are obtained by means of energy minimization using a nonlinear CG method. As the computational performance of our model yields solution times within the range of milliseconds, our approach proves to be sufficient to simulate an interactive manipulation of such flexible rods in virtual reality applications in real time.*

## 1 Introduction

The work presented in this article concerns a method to derive discrete mathematical models of slender flexible bodies which are firmly based on structural mechanics and applicable to compute quasistatic deformations extremely fast at moderate accuracy. A very brief account on this approach has been given recently in [33] and is complemented here by further background information and methodical details.

The topics we discuss are located within the overlap of two different areas of simulation applications, namely (i) the visualisation and animation of deformable objects in computer graphics and (ii) the treatment of flexible structures in multibody simulation (MBS). The motion of rigid bodies takes a prominent role in the formulation of mathematical models within both areas and provides the common basis connecting these otherwise substantially different disciplines. Our method to model flexible structures favourably combines ideas from both areas in order to obtain the desired properties of the simulation models as mentioned above.

### Modelling of deformable bodies in multibody simulation

The handling of flexible objects in multibody simulation (MBS) models is both a long term research topic [1, 2] as well as an active area of current research [3, 4, 5, 6].

A standard approach supported by most commercial MBS software packages represents flexible bodies by means of *vibrational modes* (e.g. of *Craig–Bampton* type [7, 8]) computed by modal analysis within the framework of *linear* elasticity. This modal representation of flexible structures usually reduces the number of degrees of freedom drastically and thereby provides *reduced models* which can be readily included into MBS models without deteriorating computational performance in a severe way. However, such methods are suitable (as well as by definition restricted) to represent forced oscillations resulting from a *linear response* of the flexible structure to external excitations that effect merely *small* deformations, which in turn implies a certain compactness of the structure to yield methodical consistency of the whole procedure.

If the flexible bodies of interest possess special geometrical properties characterising them as *slender* (or *thin*) structures (i.e. rods, plates or shells), their overall deformation in response to moderate external loads may become *large*, although locally the stresses and strains remain *small*. Therefore models suitable to describe such *large deformations of slender structures* have to be capable to account for *geometric nonlinearities*. Compared to object geometries that require fully three dimensional volume modelling, the reduced dimensionality of rod or shell models is accompanied by a considerable reduction in the number of degrees of freedom, which makes the inclusion of appropriately discretised versions of the *full* models (in contrast to modally reduced ones as discussed above) into a MBS framework [4] computationally feasible.

A specific property of *Cosserat* type rod and shell models [28] which makes them especially attractive in view of their integration into MBS systems relies on the fact that locally such models carry kinematical degrees of freedom which are elements of  $\mathbb{R}^3 \times SO(3)$ , such that appropriately discretised versions of such one- or two-dimensional continuum models can be interpreted as chains or networks of rigid bodies interacting via special force elements. However, the standard numerical approach to treat such models of slender structures which seems to be almost exclusively followed in computational mechanics relies on *finite elements* — see [9, 10, 11, 12] and [13] for the numerical treatment of nonlinear rods by FE methods — and focusses on accuracy rather than computational efficiency, which makes them far too demanding if one is aiming at extremely short computation times at moderate accuracy requirements (as we do). Therefore it is worthwhile to consider alternative discretisation approaches.

## Modelling of flexible structures in computer graphics and VR

Computational efficiency is of primary importance in simulation applications of virtual reality, especially if the movement and deformation of objects are animated in *real time*. This capability is crucial for a seamless integration of simulator modules within VR (*virtual reality*) or FDMU (*functional digital mock up*) software packages used for *interactive simulation* (e.g. of assembly processes).

Although the dominant paradigm to assess the quality of an animation or simulation within these application areas — as well as related ones like computer games or movies — used to be “...*It’s good enough if it looks good* ...” [14], such that a mere “*fake*” [15] of structure deformation is considered to be acceptable (at least for those applications were “...*fooling of the eye* ...” [14] is the main issue), the need for “*Physics-based modelling*” (PBM) approaches increases constantly, and the usage of models that are more [18] or less [16, 17, 19] based on ideas borrowed from classical structural and rigid body mechanics is not uncommon, especially if (apart from a “realistic” visual appearance) a minimum amount of physical information as well as an at least qualitatively correct behaviour are required. As a consequence, the usage of modelling ideas based on solid and fluid mechanics becomes increasingly popular within the computer graphics community, as such models have favourable properties concerning the simulation and rendering of “plausible” animations as well as the control of these by parameters which have a physical meaning.

Early work on the PBM approach to the animation of flexible objects using geometrically nonlinear structure models appeared about twenty years ago [20, 21]. In their SIGGRAPH lectures [22], which are a popular reference on PBM methods — an updated version [23] is hosted at *Pixar* (!) — Baraff and Witkin discuss the usage of rigid body kinematics as well as elementary dynamics simulation techniques to compute animations of moving objects, including the checking for and handling of collisions by simple contact algorithms. Although the models proposed there are based on procedures used in computational solid mechanics, the authors pointed out that “...*ultimate physical accuracy is not the ultimate goal* ...”. Consequently researchers active in the PBM community do not hesitate to take a considerable freedom to modify and/or simplify the models substantially according to their needs (as discussed e.g. in [16]).

Although the application of PBM to the animation and simulation of flexible objects was discussed already in [20] on a rather general level for all dimensionalities, the primary focus was on cloth simulation using Kirchhoff type membrane or shell models. Apart from the fact that cloth modelling might have been the most interesting topic for the research on PBM methods at that time, (we suppose) there also were technical reasons for the pronounced interest in 2D structure models: while full 3D models were computationally too demanding because of their large number of degrees of freedom, the kinematics of membrane models was readily accessible via elementary concepts of the differential geometry of surfaces in  $\mathbb{R}^3$ , as the director type d.o.f., which are inevitably present in geometrically nonlinear rod models and encode the coupling between bending and torsion, do not appear in unshearable membranes or shells.

This might be the cause for the fact that until today the kinematics of rod models still seems to be not well understood in the PBM community. A rare (maybe even singular) counter example is the paper of Pai [18], where (unlike the title of this paper suggest) an inextensible Kirchhoff rod model is used to simulate the spatial deformation of slender 1D objects. The method to solve the equilibrium equations explicitly utilizes the fact that the discretised rod locally carries the d.o.f. of rigid bodies. More frequently one encounters less sophisticated approaches that model flexible 1D objects as simple “mass & spring” systems (the articles [17] and [19]

are prototypical examples of this approach). While the obvious benefit of the “mass & spring” approach clearly is computational efficiency of such models due to their simple algebraic structure, the drawback of “mass & spring” systems is rooted in the method of their construction, which usually is done “bottom up”, introducing spring constants in an ad hoc way.

## Discrete rod models derived from structural mechanics

Looking at the various deformation energy terms of geometrically nonlinear continuum rod models one recognizes that finite difference discretisations of these models yield expressions whose algebraic form and complexity is comparable to those of “mass & spring” systems, with spring constants given by the material parameters of the continuum model and the grid constant used in the discretisation. In this way one obtains discrete rod models that are suitable for fast simulation as well as physically meaningful.

## 2 Cosserat and Kirchhoff rod models

In structural mechanics *slender objects* like cables, hoses etc. are described by one dimensional *beam* or *rod* models which utilise the fact that, due to the relative smallness of the linear dimension  $D$  of the cross section compared to the length  $L$  of a rod, the local stresses and strains remain small and the cross sections are almost unwarped, even if the overall deformation of the rod relative to its undeformed state is large. This justifies kinematical assumptions that restrict the cross sections of the deformed rod to remain *plane and rigid*.

In the following we give brief introduction to rod models of *Cosserat* and *Kirchhoff* type, the latter being a special case of the former. We do not present the most general versions of these models, which are discussed at length in the standard references [25] and [28]. The approach we finally use as a basis for the derivation of a generalized “*mass & spring*” type model by finite difference discretisation is an extensible variant of Kirchhoff’s original theory [24] as presented in [26] (see part II, §16–§19) for a hyperelastic rod with symmetric cross section subject to a constant gravitational body force.

### 2.1 Kinematics of Cosserat and Kirchhoff rods

A (*special*) *Cosserat rod* [28] is a *framed curve* [31] formally defined as a mapping  $s \mapsto (\varphi(s), \hat{\mathbf{F}}(s))$  of the interval  $\mathcal{I} = [0, L]$  into the configuration space  $\mathbb{R}^3 \times SO(3)$  of the rod, where  $L$  is the length of the undeformed rod. Its constituents are: (i) a space curve  $\varphi : \mathcal{I} \rightarrow \mathbb{R}^3$  that coincides with the *line of centroids* piercing the cross sections along the deformed rod at their geometrical center, and (ii) an “*curve of frames*”  $\hat{\mathbf{F}} : \mathcal{I} \rightarrow SO(3)$  with the origin of each frame  $\hat{\mathbf{F}}(s)$  attached to the point  $\mathbf{x}_s = \varphi(s)$ . The matrix representation of the frame  $\hat{\mathbf{F}}(s)$  w.r.t. a fixed global coordinate system  $\{\mathbf{e}^{(1)}, \mathbf{e}^{(2)}, \mathbf{e}^{(3)}\}$  of  $\mathbb{R}^3$  may be written as a triple of column vectors, i.e.  $\hat{\mathbf{F}}(s) = (\mathbf{d}^{(1)}(s), \mathbf{d}^{(2)}(s), \mathbf{d}^{(3)}(s))$ , obtained as  $\mathbf{d}^{(k)}(s) = \hat{\mathbf{F}}(s) \cdot \mathbf{e}^{(k)}$ . By definition  $\mathbf{d}^{(3)}$  coincides with the unit *cross section normal* vector located at  $\varphi(s)$ .

For simplicity we assume the undeformed rod to be *straight and prismatic* such that its initial geometry relative to  $\{\mathbf{e}^{(1)}, \mathbf{e}^{(2)}, \mathbf{e}^{(3)}\}$  is given by the direct product  $\mathcal{A} \times \mathcal{I}$  with a constant cross section area  $\mathcal{A}$  parallel to the plane spanned by  $\{\mathbf{e}^{(1)}, \mathbf{e}^{(2)}\}$ . Introducing coordinates  $(\xi_1, \xi_2)$  in the plane of the cross section  $\mathcal{A}$  relative to its geometrical center we may parametrise the material points  $\mathbf{X} \in \mathcal{A} \times \mathcal{I}$  of the undeformed rod geometry by

$$\mathbf{X}(\xi_1, \xi_2, s) = \sum_{k=1,2} \xi_k \mathbf{e}^{(k)} + s \mathbf{e}^{(3)},$$



and the deformation mapping  $\mathbf{X} \mapsto \mathbf{x} = \Phi(\mathbf{X})$  is given by the formula

$$\mathbf{x}(\xi_1, \xi_2, s) = \varphi(s) + \sum_{k=1,2} \xi_k \mathbf{d}^{(k)}(s) .$$

The kinematics of a framed curve as presented above determine the possible deformations of a *Cosserat* rod. These are: *stretching* (in the direction of the curve tangent), *bending* (around an axis in the plane of the cross section), *twisting* (of the cross section around its normal) and *shearing* (i.e. tilting of the cross section normal w.r.t. the curve tangent).

Following [31] we denote a frame  $\hat{\mathbf{F}}(s)$  as *adapted* to the curve  $\varphi(s)$  if  $\mathbf{d}^{(3)}(s)$  coincides with the *unit tangent* vector  $\mathbf{t}(s) = \partial_s \varphi(s) / \|\partial_s \varphi(s)\|$  along the curve. An adapted frame satisfies the *Euler–Bernoulli* hypothesis which states that the cross sections remain always orthogonal to the centerline curve also in a deformed state. Curves with adapted frames describe the possible deformations of (extensible) *Kirchhoff* rods. Compared to Cosserat rods the kinematics of Kirchhoff rods are restricted further, as they do *not* allow for shear deformations. The *inextensibility* condition  $\|\partial_s \varphi\| = 1$  constitutes an additional kinematical restriction and yields Kirchhoff’s rod model in the form most frequently presented in the literature (see e.g. §16–§20 in Landau’s book [26]).

Measuring the slenderness of a rod of cross section diameter  $D$  and length  $L$  in terms of the small parameter  $\varepsilon = D/L$  and assuming (hyper)elastic material behaviour it can be shown that the potential energy terms corresponding to bending and torsion are of the order  $\mathcal{O}(\varepsilon^4)$ , while the energy terms corresponding to stretching and shearing scale as  $\mathcal{O}(\varepsilon^2)$ . In this way the latter effectively act as *penalty terms* that enforce the kinematical restrictions  $\|\partial_s \varphi\| = 1$  and  $\mathbf{d}^{(3)}(s) = \mathbf{t}(s)$ . This explains how Kirchhoff rods appear as a natural limit case of Cosserat rods subject to moderate deformations provided  $\varepsilon$  is sufficiently small.

## 2.2 Hyperelastic Kirchhoff rods with cross section symmetry

As we are interested in a rod model that is suitable for the simulation of moderate cable deformations, both the Cosserat as well as the Kirchhoff approach would fit for our purpose. A characteristic feature of the Cosserat model consists in the description of the bending and torsion of the rod in terms of the frame variables, while the bending of the centerline curve  $\varphi(s)$  is produced only indirectly by the shearing forces that approximately align the curve tangent to the cross section normal. In contrast to that, Kirchhoff’s model [30] encodes bending strain directly by the curvature of  $\varphi(s)$  and therefore provides a direct pathway to discrete models formulated in terms of (discrete) d.o.f. of the centerline.

Averaging the normal Piola–Kirchhoff tractions and corresponding torques over the cross section surface of the deformed rod located at  $\varphi(s)$  yields *stress resultants*  $\mathbf{f}(s)$  and *stress couples*  $\mathbf{m}(s)$ , i.e. resultant force and moment vectors per unit reference length [29]. If the rod is in a *static equilibrium* state, these vectors satisfy the differential balance equations of forces and moments

$$\partial_s \mathbf{f} + \mathbf{G} = \mathbf{0} , \quad \partial_s \mathbf{m} + \partial_s \varphi \times \mathbf{f} = \mathbf{0} , \quad (1)$$

where  $\mathbf{G}$  represents a (not necessarily constant) body force acting along the rod, and we assumed that no external moment is applied in between the rod boundaries. Although the form of the equilibrium equations (1) is identical for the Cosserat and Kirchhoff model, the nature of the stress resultant  $\mathbf{f}$  is different in both cases. In the Cosserat model all components of  $\mathbf{f}$  and  $\mathbf{m}$  are related to corresponding strain measures via a constitutive function. In an inextensible Kirchhoff rod only the components of the stress couple  $\mathbf{m}$  are determined constitutively,

while the stress resultant  $\mathbf{f}$  is a Lagrange multiplier which has to be determined from the equilibrium equations (1).

In the case of an extensible Kirchhoff rod which in its undeformed state has the form of a straight cylinder with symmetric cross section, the assumption of a hyperelastic material behaviour yields the expression [26]

$$\mathbf{m}(s) = EI \mathbf{t}(s) \times \partial_s \mathbf{t}(s) + GJ \Omega_t \mathbf{t}(s) \quad (2)$$

for the stress couple, where  $E$  is Young's modulus,  $G$  the shear modulus,  $I$  measures the geometrical moment of inertia of the cross section (e.g.  $I = \frac{\pi}{4} R^4$  for a circular cross section of radius  $R$ ) and  $J = 2I$ . The quantities  $EI$  and  $GJ$  determine the stiffness of the rod w.r.t. bending and torsion. According to (2) the stress couple is given as the sum of the *bending moment*  $\mathbf{m}_b = EI \mathbf{t} \times \partial_s \mathbf{t}$  and the *torsional moment*  $\mathbf{m}_t = GJ \Omega_t \mathbf{t}$ .

The strain measure related to the bending moment is given by the vector

$$\mathbf{t} \times \partial_s \mathbf{t} = \frac{\partial_s \boldsymbol{\varphi} \times \partial_s^2 \boldsymbol{\varphi}}{\|\partial_s \boldsymbol{\varphi}\|^2} = \|\partial_s \boldsymbol{\varphi}\| \kappa \mathbf{b} \quad (3)$$

which is proportional to the *Frenet curvature*  $\kappa(s)$  of the centerline and (if  $\kappa > 0$ ) points in the direction of the binormal vector  $\mathbf{b}(s)$ . The strain measure related to the torsional moment is determined by the *twist*

$$\Omega_t(s) = \mathbf{t}(s) \cdot [\mathbf{d}(s) \times \partial_s \mathbf{d}(s)] \quad (4)$$

where  $\mathbf{d}(s)$  is any unit normal vector field to the centerline given as a fixed linear combination  $\mathbf{d} = \cos(\alpha_0) \mathbf{d}^{(1)} + \sin(\alpha_0) \mathbf{d}^{(2)}$  of the frame vectors  $\mathbf{d}^{(1)}(s)$  and  $\mathbf{d}^{(2)}(s)$  for some constant angle  $\alpha_0$ . Note that the special constitutive relation (2) implies that in equilibrium the twist  $\Omega_t$  is constant.

As a Kirchhoff rod is (by definition) unshearable, only the *tangential* component of the stress resultant  $\mathbf{f}(s)$  is constitutively determined by the *tension*

$$\mathbf{t}(s) \cdot \mathbf{f}(s) =: T(s) = EA (\|\partial_s \boldsymbol{\varphi}\| - 1) \quad (5)$$

related to the elongational strain  $(\|\partial_s \boldsymbol{\varphi}\| - 1)$ . The resistance of the rod w.r.t. stretching is determined by  $EA$  where  $A = |\mathcal{A}|$  is the size of the cross section area (in our case:  $A = \pi R^2$ ). The *shearing force* acting parallel to the cross section is given by  $\mathbf{f}_{sh}(s) = \mathbf{f}(s) - T(s) \mathbf{t}(s)$ . It is not related to any strain measure but has to be determined from the equilibrium equations a Lagrange parameter corresponding to the internal constraint  $\mathbf{d}(s) \cdot \mathbf{t}(s) = 0$ .

To determine the deformation of the rod in static (or likewise quasistatic) equilibrium one has to solve the combined system of the eqns. (1) to (5) for a suitable set of *boundary conditions*, e.g. like those discussed in [30]. (This issue will not be discussed here.) Equivalently one may obtain the centerline  $\boldsymbol{\varphi}(s)$  and the unit normal vector field  $\mathbf{d}(s)$  that represents the adapted frame of the rod by *minimization of the potential energy*

$$W_{pot}[\boldsymbol{\varphi}, \mathbf{d}] = \int_0^L w_{el}(s) ds - \int_0^L \mathbf{G}(s) \cdot \boldsymbol{\varphi}(s) ds \quad (6)$$

According to eqns. (2) to (5) the *elastic energy density* is a quadratic form in the various strain measures given by

$$w_{el}(s) = \frac{EI}{2} (\mathbf{t} \times \partial_s \mathbf{t})^2 + \frac{GJ}{2} \Omega_t^2(s) + \frac{EA}{2} (\|\partial_s \boldsymbol{\varphi}\| - 1)^2 \quad (7)$$




Figure 1: Sequential deformation of a discrete, hyperelastic Kirchhoff rod of symmetric cross section

and determines the *stored energy function*  $W_{el}[\boldsymbol{\varphi}, \mathbf{d}] = \int_0^L w_{el}(s) ds$  containing the internal part of  $W_{pot}$ . A specific choice of boundary conditions may be accounted for by modified expressions for  $w_{el}(0)$  and  $w_{el}(L)$  which are obtained from (7) by fixing combinations of the kinematical variables  $\boldsymbol{\varphi}(s)$  and  $\mathbf{d}(s)$  and their derivatives at prescribed values (as required by the b.c.) and substituting these into  $w_{el}(s)$ .

### 3 A discrete Kirchhoff rod model

The final step of our approach towards a model of flexible rods suitable for the fast computation of quasistatic rod deformations is the discretisation of the potential energy by applying standard (e.g. central) finite difference stencils to the elastic energy density (7) and corresponding quadratur rules (e.g. trapezoidal) to the energy integrals (6). Boundary conditions are treated in the way described at the end of the previous section. This procedure results in a discrete model of an extensible Kirchhoff rod which has a similar structure like the simple “mass & spring” type models presented in [17] and [19].

However, as a benefit of the systematic derivation procedure on the basis of a proper continuum model, our discrete rod model is able to capture the rather subtle coupling of bending and torsion deformation correctly, as the sequential deformation of the discrete Kirchhoff rod shown in **Fig. 1** illustrates: (a) Starting from a circle segment, the tangents of the boundary frames are bent inward to produce (b) an (upside down)  $\Omega$ -shaped deformation of the rod at zero twist. To demonstrate the effect of mutual coupling of bending and torsion in the discrete model, the boundary frame at  $s = L$  is twisted counterclockwise by an angle of  $2\pi$  while the other boundary frame at  $s = 0$  is held fixed. The pictures (c)–(f) show snapshots of the deformation state taken at multiples of  $\frac{\pi}{2}$ . We compute approximate solutions of the equilibrium equations for sequentially varying boundary conditions by a minimization of the discrete potential energy using a standard nonlinear CG method [32] without preconditioning. The overall deformation from (a) to (f) was split up into a sequence of 25 consecutive changes of the boundary conditions defined by the terminal frames of the rod. For a discretization of the cable into 10 segments, the simulation took 150 ms on 1 CPU of an AMD 2.2 GHz double processor PC, which amounts

to an average computation time of 6 *ms* per step, which indicates the computational efficiency of our approach.

## REFERENCES

- [1] W.O. Schiehlen: Multibody system dynamics: Roots and perspectives, *Multibody System Dynamics* **1**, p. 149–188 (1997)
- [2] A.A. Shabana: Flexible multibody dynamics: Review of past and recent developments, *Multibody System Dynamics* **1**, p. 189–222 (1997)
- [3] B. Simeon: Numerical Analysis of Flexible Multibody Systems, *Multibody System Dynamics* **6**, p. 305–325 (2001)
- [4] P. Betsch: *Computational Methods for Flexible Multibody Dynamics*, Habilitationsschrift, Lehrstuhl für technische Mechanik, Universität Kaiserslautern (2002)
- [5] P. Betsch and P. Steinmann: A DAE Approach to Flexible Multibody Dynamics, *Multibody System Dynamics* **8**, 365–389 (2002)
- [6] A.A. Shabana: *Dynamics of Multibody Systems (Third edition)*, Cambridge University Press (2005)
- [7] R.R. Craig Jr. and M.C.C. Bampton: Coupling of Substructures for Dynamic Analysis, *AIAA Journal* Vol. **6**, No. 7, July 1968
- [8] R.R. Craig: *Structural Dynamics*, Wiley (1981)
- [9] J.C. Simo and L. Vu-Quoc: A three-dimensional finite-strain rod model. Part II: Computational aspects., *Comput. Meth. Appl. Mech. Eng.* **58**, 79–116 (1986)
- [10] A. Ibrahimbegovic: On finite element implementations of geometrically nonlinear Reissner’s beam theory: threedimensional curved beam elements, *Comput. Meth. Appl. Mech. Eng.* **112**, 11–26 (1995)
- [11] Cardona A, Geradin M : A beam finite element nonlinear theory with finite rotations, *Int. J. Numer. Meth. Eng.* **26**, 2403–2434 (1998)
- [12] P. Betsch and P. Steinmann: Frame-indifferent beam finite elements based upon the geometrically exact beam theory, *Int. J. Numer. Meth. Eng.* **54**, 1755–1788 (2002)
- [13] I. Romero: The interpolation of rotations and its application to finite element models of geometrically exact rods, *Comput. Mech.* **34**, 121–133 (2004)
- [14] D. Roble and T. Chan: Math in the Entertainment Industry, p. 971–990 in B. Engquist and W. Schmidt (ed.): *Mathematics Unlimited — 2001 and Beyond*, Springer (2001)
- [15] R. Barzel: Faking dynamics of ropes and springs, *IEEE Comput. Graph Appl.* **17**(3), p. 31–39 (1996)
- [16] D. Baraff and A. Witkin: Large steps in cloth simulation, p. 43–54 in *Proceedings of SIGGRAPH ’98*, Computer Graphics Proceedings ed. by M. Cohen, Addison Wesley (1998)

- [17] A. Look and E. Schömer: A virtual environment for interactive assembly simulation: from rigid bodies to deformable cables, in *5th World Multiconference on Systemics, Cybernetics and Informatics (SCI'01)*, Vol. 3 (Virtual Engineering and Emergent Computing), p. 325–332 (2001)
- [18] D.K. Pai: Strands: Interactive simulation of thin solids using Cosserat models, *Comput. Graph. Forum* **21**(3), p. 347–352 (2002)
- [19] M. Gregoire and E. Schömer: Interactive simulation of one-dimensional flexible parts, *ACM Symposium on Solid and Physical Modeling (SPM'06)*, p. 95–103 (2006)
- [20] D. Terzopoulos, J. Platt, A. Barr, K. Fleischer: Elastically deformable models, *ACM SIGGRAPH Computer Graphics* Vol. **21**(4), p. 205–214 (1987)
- [21] D. Terzopoulos, J. Platt, A. Barr, D. Zeltzer, A. Witkin, J. Blinn: Physically based modeling: past, present, and future. *ACM SIGGRAPH Computer Graphics* Vol. **23**(5), p. 191–209 (1989)
- [22] A. Witkin and D. Baraff: Physically Based Modeling: Principles and Practice *Online SIGGRAPH '97 Course notes*, [www.cs.cmu.edu/~baraff/sigcourse/](http://www.cs.cmu.edu/~baraff/sigcourse/) (1997)
- [23] A. Witkin and D. Baraff: Physically Based Modeling, *Online SIGGRAPH 2001 Course notes*, [www.pixar.com/companyinfo/research/pbm2001/](http://www.pixar.com/companyinfo/research/pbm2001/) (2001)
- [24] G. Kirchhoff: Über das Gleichgewicht und die Bewegung eines unendlich dünnen elastischen Stabes, *J. Reine Angew. Math. (Crelle)* **56**, p. 285–343 (1859)
- [25] A.E.H. Love: *A Treatise on the Mathematical Theory of Elasticity (4th edition)*, Cambridge University Press (1927), reprinted by Dover (1944)
- [26] L.D. Landau and E.M. Lifshitz: *Theory of Elasticity (Course of Theoretical Physics Vol. 7, 3rd ed.)*, Butterworth Heinemann (1986)
- [27] P. Villaggio: *Mathematical Models for Elastic Structures*, Cambridge University Press (1997)
- [28] S. Antman: *Nonlinear Problems of Elasticity (2nd Edition)*, Springer (2005)
- [29] J.C. Simo: A finite strain beam formulation: the three dimensional dynamic problem – Part I, *Comp. Meth. Appl. Mech. Eng.* **49**, p. 55–70 (1985)
- [30] J.H. Maddocks: Stability of nonlinearly elastic rods, *Arch. Rational Mech. & Anal.* **85**, p. 311–354 (1984)
- [31] N. Chouaieb and J.H.Maddocks: Kirchhoff's problem of helical equilibria of uniform rods, *J. Elasticity* **77**, p. 221–247 (2004)
- [32] J.R. Shewchuck: An Introduction to the Conjugate Gradient Method Without the Agonizing Pain, [www.cs.berkeley.edu/~jrs/](http://www.cs.berkeley.edu/~jrs/) (1994)
- [33] J. Linn, T. Stephan, J. Carlsson and R. Bohlin: Fast simulation of quasistatic rod deformations for VR applications, submitted to the Proceedings of *ECMI 2006*

# Published reports of the Fraunhofer ITWM

The PDF-files of the following reports are available under:

[www.itwm.fraunhofer.de/de/zentral\\_\\_berichte/berichte](http://www.itwm.fraunhofer.de/de/zentral__berichte/berichte)

1. D. Hietel, K. Steiner, J. Struckmeier  
**A Finite - Volume Particle Method for Compressible Flows**  
(19 pages, 1998)
2. M. Feldmann, S. Seibold  
**Damage Diagnosis of Rotors: Application of Hilbert Transform and Multi-Hypothesis Testing**  
Keywords: Hilbert transform, damage diagnosis, Kalman filtering, non-linear dynamics  
(23 pages, 1998)
3. Y. Ben-Haim, S. Seibold  
**Robust Reliability of Diagnostic Multi-Hypothesis Algorithms: Application to Rotating Machinery**  
Keywords: Robust reliability, convex models, Kalman filtering, multi-hypothesis diagnosis, rotating machinery, crack diagnosis  
(24 pages, 1998)
4. F.-Th. Lentens, N. Siedow  
**Three-dimensional Radiative Heat Transfer in Glass Cooling Processes**  
(23 pages, 1998)
5. A. Klar, R. Wegener  
**A hierarchy of models for multilane vehicular traffic**  
**Part I: Modeling**  
(23 pages, 1998)  
**Part II: Numerical and stochastic investigations**  
(17 pages, 1998)
6. A. Klar, N. Siedow  
**Boundary Layers and Domain Decomposition for Radiative Heat Transfer and Diffusion Equations: Applications to Glass Manufacturing Processes**  
(24 pages, 1998)
7. I. Choquet  
**Heterogeneous catalysis modelling and numerical simulation in rarified gas flows**  
**Part I: Coverage locally at equilibrium**  
(24 pages, 1998)
8. J. Ohser, B. Steinbach, C. Lang  
**Efficient Texture Analysis of Binary Images**  
(17 pages, 1998)
9. J. Orlik  
**Homogenization for viscoelasticity of the integral type with aging and shrinkage**  
(20 pages, 1998)
10. J. Mohring  
**Helmholtz Resonators with Large Aperture**  
(21 pages, 1998)
11. H. W. Hamacher, A. Schöbel  
**On Center Cycles in Grid Graphs**  
(15 pages, 1998)
12. H. W. Hamacher, K.-H. Küfer  
**Inverse radiation therapy planning - a multiple objective optimisation approach**  
(14 pages, 1999)
13. C. Lang, J. Ohser, R. Hilfer  
**On the Analysis of Spatial Binary Images**  
(20 pages, 1999)
14. M. Junk  
**On the Construction of Discrete Equilibrium Distributions for Kinetic Schemes**  
(24 pages, 1999)
15. M. Junk, S. V. Raghurame Rao  
**A new discrete velocity method for Navier-Stokes equations**  
(20 pages, 1999)
16. H. Neunzert  
**Mathematics as a Key to Key Technologies**  
(39 pages (4 PDF-Files), 1999)
17. J. Ohser, K. Sandau  
**Considerations about the Estimation of the Size Distribution in Wicksell's Corpuscle Problem**  
(18 pages, 1999)
18. E. Carrizosa, H. W. Hamacher, R. Klein, S. Nickel  
**Solving nonconvex planar location problems by finite dominating sets**  
Keywords: Continuous Location, Polyhedral Gauges, Finite Dominating Sets, Approximation, Sandwich Algorithm, Greedy Algorithm  
(19 pages, 2000)
19. A. Becker  
**A Review on Image Distortion Measures**  
Keywords: Distortion measure, human visual system  
(26 pages, 2000)
20. H. W. Hamacher, M. Labbé, S. Nickel, T. Sonneborn  
**Polyhedral Properties of the Uncapacitated Multiple Allocation Hub Location Problem**  
Keywords: integer programming, hub location, facility location, valid inequalities, facets, branch and cut  
(21 pages, 2000)
21. H. W. Hamacher, A. Schöbel  
**Design of Zone Tariff Systems in Public Transportation**  
(30 pages, 2001)
22. D. Hietel, M. Junk, R. Keck, D. Teleaga  
**The Finite-Volume-Particle Method for Conservation Laws**  
(16 pages, 2001)
23. T. Bender, H. Hennes, J. Kalcsics, M. T. Melo, S. Nickel  
**Location Software and Interface with GIS and Supply Chain Management**  
Keywords: facility location, software development, geographical information systems, supply chain management  
(48 pages, 2001)
24. H. W. Hamacher, S. A. Tjandra  
**Mathematical Modelling of Evacuation Problems: A State of Art**  
(44 pages, 2001)
25. J. Kuhnert, S. Tiwari  
**Grid free method for solving the Poisson equation**  
Keywords: Poisson equation, Least squares method, Grid free method  
(19 pages, 2001)
26. T. Götz, H. Rave, D. Reinel-Bitzer, K. Steiner, H. Tiemeier  
**Simulation of the fiber spinning process**  
Keywords: Melt spinning, fiber model, Lattice Boltzmann, CFD  
(19 pages, 2001)
27. A. Zemitis  
**On interaction of a liquid film with an obstacle**  
Keywords: impinging jets, liquid film, models, numerical solution, shape  
(22 pages, 2001)
28. I. Ginzburg, K. Steiner  
**Free surface lattice-Boltzmann method to model the filling of expanding cavities by Bingham Fluids**  
Keywords: Generalized LBE, free-surface phenomena, interface boundary conditions, filling processes, Bingham viscoplastic model, regularized models  
(22 pages, 2001)
29. H. Neunzert  
**»Denn nichts ist für den Menschen als Menschen etwas wert, was er nicht mit Leidenschaft tun kann«**  
**Vortrag anlässlich der Verleihung des Akademiepreises des Landes Rheinland-Pfalz am 21.11.2001**  
Keywords: Lehre, Forschung, angewandte Mathematik, Mehrskalalanalyse, Strömungsmechanik  
(18 pages, 2001)
30. J. Kuhnert, S. Tiwari  
**Finite pointset method based on the projection method for simulations of the incompressible Navier-Stokes equations**  
Keywords: Incompressible Navier-Stokes equations, Meshfree method, Projection method, Particle scheme, Least squares approximation  
AMS subject classification: 76D05, 76M28  
(25 pages, 2001)
31. R. Korn, M. Krekel  
**Optimal Portfolios with Fixed Consumption or Income Streams**  
Keywords: Portfolio optimisation, stochastic control, HJB equation, discretisation of control problems  
(23 pages, 2002)
32. M. Krekel  
**Optimal portfolios with a loan dependent credit spread**  
Keywords: Portfolio optimisation, stochastic control, HJB equation, credit spread, log utility, power utility, non-linear wealth dynamics  
(25 pages, 2002)
33. J. Ohser, W. Nagel, K. Schladitz  
**The Euler number of discretized sets – on the choice of adjacency in homogeneous lattices**  
Keywords: image analysis, Euler number, neighborhood relationships, cuboidal lattice  
(32 pages, 2002)

34. I. Ginzburg, K. Steiner  
**Lattice Boltzmann Model for Free-Surface flow and Its Application to Filling Process in Casting**  
Keywords: Lattice Boltzmann models; free-surface phenomena; interface boundary conditions; filling processes; injection molding; volume of fluid method; interface boundary conditions; advection-schemes; up-wind-schemes (54 pages, 2002)
35. M. Günther, A. Klar, T. Materne, R. Wegener  
**Multivalued fundamental diagrams and stop and go waves for continuum traffic equations**  
Keywords: traffic flow, macroscopic equations, kinetic derivation, multivalued fundamental diagram, stop and go waves, phase transitions (25 pages, 2002)
36. S. Feldmann, P. Lang, D. Prätzel-Wolters  
**Parameter influence on the zeros of network determinants**  
Keywords: Networks, Equicofactor matrix polynomials, Realization theory, Matrix perturbation theory (30 pages, 2002)
37. K. Koch, J. Ohser, K. Schladitz  
**Spectral theory for random closed sets and estimating the covariance via frequency space**  
Keywords: Random set, Bartlett spectrum, fast Fourier transform, power spectrum (28 pages, 2002)
38. D. d'Humières, I. Ginzburg  
**Multi-reflection boundary conditions for lattice Boltzmann models**  
Keywords: lattice Boltzmann equation, boundary conditions, bounce-back rule, Navier-Stokes equation (72 pages, 2002)
39. R. Korn  
**Elementare Finanzmathematik**  
Keywords: Finanzmathematik, Aktien, Optionen, Portfolio-Optimierung, Börse, Lehrerweiterbildung, Mathematikunterricht (98 pages, 2002)
40. J. Kallrath, M. C. Müller, S. Nickel  
**Batch Presorting Problems: Models and Complexity Results**  
Keywords: Complexity theory, Integer programming, Assignment, Logistics (19 pages, 2002)
41. J. Linn  
**On the frame-invariant description of the phase space of the Folgar-Tucker equation**  
Keywords: fiber orientation, Folgar-Tucker equation, injection molding (5 pages, 2003)
42. T. Hanne, S. Nickel  
**A Multi-Objective Evolutionary Algorithm for Scheduling and Inspection Planning in Software Development Projects**  
Keywords: multiple objective programming, project management and scheduling, software development, evolutionary algorithms, efficient set (29 pages, 2003)
43. T. Bortfeld, K.-H. Küfer, M. Monz, A. Scherrer, C. Thieke, H. Trinkaus  
**Intensity-Modulated Radiotherapy - A Large Scale Multi-Criteria Programming Problem**  
Keywords: multiple criteria optimization, representative systems of Pareto solutions, adaptive triangulation, clustering and disaggregation techniques, visualization of Pareto solutions, medical physics, external beam radiotherapy planning, intensity modulated radiotherapy (31 pages, 2003)
44. T. Halfmann, T. Wichmann  
**Overview of Symbolic Methods in Industrial Analog Circuit Design**  
Keywords: CAD, automated analog circuit design, symbolic analysis, computer algebra, behavioral modeling, system simulation, circuit sizing, macro modeling, differential-algebraic equations, index (17 pages, 2003)
45. S. E. Mikhailov, J. Orlik  
**Asymptotic Homogenisation in Strength and Fatigue Durability Analysis of Composites**  
Keywords: multiscale structures, asymptotic homogenization, strength, fatigue, singularity, non-local conditions (14 pages, 2003)
46. P. Domínguez-Marín, P. Hansen, N. Mladenović, S. Nickel  
**Heuristic Procedures for Solving the Discrete Ordered Median Problem**  
Keywords: genetic algorithms, variable neighborhood search, discrete facility location (31 pages, 2003)
47. N. Boland, P. Domínguez-Marín, S. Nickel, J. Puerto  
**Exact Procedures for Solving the Discrete Ordered Median Problem**  
Keywords: discrete location, Integer programming (41 pages, 2003)
48. S. Feldmann, P. Lang  
**Padé-like reduction of stable discrete linear systems preserving their stability**  
Keywords: Discrete linear systems, model reduction, stability, Hankel matrix, Stein equation (16 pages, 2003)
49. J. Kallrath, S. Nickel  
**A Polynomial Case of the Batch Presorting Problem**  
Keywords: batch presorting problem, online optimization, competitive analysis, polynomial algorithms, logistics (17 pages, 2003)
50. T. Hanne, H. L. Trinkaus  
**knowCube for MCDM – Visual and Interactive Support for Multicriteria Decision Making**  
Keywords: Multicriteria decision making, knowledge management, decision support systems, visual interfaces, interactive navigation, real-life applications. (26 pages, 2003)
51. O. Iliev, V. Laptev  
**On Numerical Simulation of Flow Through Oil Filters**  
Keywords: oil filters, coupled flow in plain and porous media, Navier-Stokes, Brinkman, numerical simulation (8 pages, 2003)
52. W. Dörfler, O. Iliev, D. Stoyanov, D. Vassileva  
**On a Multigrid Adaptive Refinement Solver for Saturated Non-Newtonian Flow in Porous Media**  
Keywords: Nonlinear multigrid, adaptive refinement, non-Newtonian flow in porous media (17 pages, 2003)
53. S. Kruse  
**On the Pricing of Forward Starting Options under Stochastic Volatility**  
Keywords: Option pricing, forward starting options, Heston model, stochastic volatility, cliquet options (11 pages, 2003)
54. O. Iliev, D. Stoyanov  
**Multigrid – adaptive local refinement solver for incompressible flows**  
Keywords: Navier-Stokes equations, incompressible flow, projection-type splitting, SIMPLE, multigrid methods, adaptive local refinement, lid-driven flow in a cavity (37 pages, 2003)
55. V. Starikovicus  
**The multiphase flow and heat transfer in porous media**  
Keywords: Two-phase flow in porous media, various formulations, global pressure, multiphase mixture model, numerical simulation (30 pages, 2003)
56. P. Lang, A. Sarishvili, A. Wirsen  
**Blocked neural networks for knowledge extraction in the software development process**  
Keywords: Blocked Neural Networks, Nonlinear Regression, Knowledge Extraction, Code Inspection (21 pages, 2003)
57. H. Knaf, P. Lang, S. Zeiser  
**Diagnosis aiding in Regulation Thermography using Fuzzy Logic**  
Keywords: fuzzy logic, knowledge representation, expert system (22 pages, 2003)
58. M. T. Melo, S. Nickel, F. Saldanha da Gama  
**Largescale models for dynamic multi-commodity capacitated facility location**  
Keywords: supply chain management, strategic planning, dynamic location, modeling (40 pages, 2003)
59. J. Orlik  
**Homogenization for contact problems with periodically rough surfaces**  
Keywords: asymptotic homogenization, contact problems (28 pages, 2004)
60. A. Scherrer, K.-H. Küfer, M. Monz, F. Alonso, T. Bortfeld  
**IMRT planning on adaptive volume structures – a significant advance of computational complexity**  
Keywords: Intensity-modulated radiation therapy (IMRT), inverse treatment planning, adaptive volume structures, hierarchical clustering, local refinement, adaptive clustering, convex programming, mesh generation, multi-grid methods (24 pages, 2004)
61. D. Kehrwald  
**Parallel lattice Boltzmann simulation of complex flows**  
Keywords: Lattice Boltzmann methods, parallel computing, microstructure simulation, virtual material design, pseudo-plastic fluids, liquid composite moulding (12 pages, 2004)
62. O. Iliev, J. Linn, M. Moog, D. Niedziela, V. Starikovicus  
**On the Performance of Certain Iterative Solvers for Coupled Systems Arising in Discretization of Non-Newtonian Flow Equations**  
Keywords: Performance of iterative solvers, Preconditioners, Non-Newtonian flow (17 pages, 2004)
63. R. Ciegis, O. Iliev, S. Rief, K. Steiner  
**On Modelling and Simulation of Different Regimes for Liquid Polymer Moulding**  
Keywords: Liquid Polymer Moulding, Modelling, Simulation, Infiltration, Front Propagation, non-Newtonian flow in porous media (43 pages, 2004)

64. T. Hanne, H. Neu  
**Simulating Human Resources in Software Development Processes**  
Keywords: Human resource modeling, software process, productivity, human factors, learning curve (14 pages, 2004)
65. O. Iliev, A. Mikelic, P. Popov  
**Fluid structure interaction problems in deformable porous media: Toward permeability of deformable porous media**  
Keywords: fluid-structure interaction, deformable porous media, upscaling, linear elasticity, stokes, finite elements (28 pages, 2004)
66. F. Gaspar, O. Iliev, F. Lisbona, A. Naumovich, P. Vabishchevich  
**On numerical solution of 1-D poroelasticity equations in a multilayered domain**  
Keywords: poroelasticity, multilayered material, finite volume discretization, MAC type grid (41 pages, 2004)
67. J. Ohser, K. Schladitz, K. Koch, M. Nöthe  
**Diffraction by image processing and its application in materials science**  
Keywords: porous microstructure, image analysis, random set, fast Fourier transform, power spectrum, Bartlett spectrum (13 pages, 2004)
68. H. Neunzert  
**Mathematics as a Technology: Challenges for the next 10 Years**  
Keywords: applied mathematics, technology, modelling, simulation, visualization, optimization, glass processing, spinning processes, fiber-fluid interaction, turbulence effects, topological optimization, multicriteria optimization, Uncertainty and Risk, financial mathematics, Malliavin calculus, Monte-Carlo methods, virtual material design, filtration, bio-informatics, system biology (29 pages, 2004)
69. R. Ewing, O. Iliev, R. Lazarov, A. Naumovich  
**On convergence of certain finite difference discretizations for 1D poroelasticity interface problems**  
Keywords: poroelasticity, multilayered material, finite volume discretizations, MAC type grid, error estimates (26 pages, 2004)
70. W. Dörfler, O. Iliev, D. Stoyanov, D. Vassileva  
**On Efficient Simulation of Non-Newtonian Flow in Saturated Porous Media with a Multigrid Adaptive Refinement Solver**  
Keywords: Nonlinear multigrid, adaptive refinement, non-Newtonian in porous media (25 pages, 2004)
71. J. Kalcsics, S. Nickel, M. Schröder  
**Towards a Unified Territory Design Approach – Applications, Algorithms and GIS Integration**  
Keywords: territory design, political districting, sales territory alignment, optimization algorithms, Geographical Information Systems (40 pages, 2005)
72. K. Schladitz, S. Peters, D. Reinel-Bitzer, A. Wiegmann, J. Ohser  
**Design of acoustic trim based on geometric modeling and flow simulation for non-woven**  
Keywords: random system of fibers, Poisson line process, flow resistivity, acoustic absorption, Lattice-Boltzmann method, non-woven (21 pages, 2005)
73. V. Rutka, A. Wiegmann  
**Explicit Jump Immersed Interface Method for virtual material design of the effective elastic moduli of composite materials**  
Keywords: virtual material design, explicit jump immersed interface method, effective elastic moduli, composite materials (22 pages, 2005)
74. T. Hanne  
**Eine Übersicht zum Scheduling von Baustellen**  
Keywords: Projektplanung, Scheduling, Bauplanung, Bauindustrie (32 pages, 2005)
75. J. Linn  
**The Folgar-Tucker Model as a Differential Algebraic System for Fiber Orientation Calculation**  
Keywords: fiber orientation, Folgar-Tucker model, invariants, algebraic constraints, phase space, trace stability (15 pages, 2005)
76. M. Speckert, K. Dreßler, H. Mauch, A. Lion, G. J. Wierda  
**Simulation eines neuartigen Prüfsystems für Achserprobungen durch MKS-Modellierung einschließlich Regelung**  
Keywords: virtual test rig, suspension testing, multibody simulation, modeling hexapod test rig, optimization of test rig configuration (20 pages, 2005)
77. K.-H. Küfer, M. Monz, A. Scherrer, P. Süß, F. Alonso, A. S. A. Sultan, Th. Bortfeld, D. Craft, Chr. Thieke  
**Multicriteria optimization in intensity modulated radiotherapy planning**  
Keywords: multicriteria optimization, extreme solutions, real-time decision making, adaptive approximation schemes, clustering methods, IMRT planning, reverse engineering (51 pages, 2005)
78. S. Amstutz, H. Andrä  
**A new algorithm for topology optimization using a level-set method**  
Keywords: shape optimization, topology optimization, topological sensitivity, level-set (22 pages, 2005)
79. N. Ettrich  
**Generation of surface elevation models for urban drainage simulation**  
Keywords: Flooding, simulation, urban elevation models, laser scanning (22 pages, 2005)
80. H. Andrä, J. Linn, I. Matei, I. Shklyar, K. Steiner, E. Teichmann  
**OPTCAST – Entwicklung adäquater Strukturoptimierungsverfahren für Gießereien Technischer Bericht (KURZFASSUNG)**  
Keywords: Topologieoptimierung, Level-Set-Methode, Gießprozesssimulation, Gießtechnische Restriktionen, CAE-Kette zur Strukturoptimierung (77 pages, 2005)
81. N. Marheineke, R. Wegener  
**Fiber Dynamics in Turbulent Flows Part I: General Modeling Framework**  
Keywords: fiber-fluid interaction; Cosserat rod; turbulence modeling; Kolmogorov's energy spectrum; double-velocity correlations; differentiable Gaussian fields (20 pages, 2005)
- Part II: Specific Taylor Drag**  
Keywords: flexible fibers;  $k-\epsilon$  turbulence model; fiber-turbulence interaction scales; air drag; random Gaussian aerodynamic force; white noise; stochastic differential equations; ARMA process (18 pages, 2005)
82. C. H. Lampert, O. Wirjadi  
**An Optimal Non-Orthogonal Separation of the Anisotropic Gaussian Convolution Filter**  
Keywords: Anisotropic Gaussian filter, linear filtering, orientation space, nD image processing, separable filters (25 pages, 2005)
83. H. Andrä, D. Stoyanov  
**Error indicators in the parallel finite element solver for linear elasticity DDFEM**  
Keywords: linear elasticity, finite element method, hierarchical shape functions, domain decomposition, parallel implementation, a posteriori error estimates (21 pages, 2006)
84. M. Schröder, I. Solchenbach  
**Optimization of Transfer Quality in Regional Public Transit**  
Keywords: public transit, transfer quality, quadratic assignment problem (16 pages, 2006)
85. A. Naumovich, F. J. Gaspar  
**On a multigrid solver for the three-dimensional Biot poroelasticity system in multilayered domains**  
Keywords: poroelasticity, interface problem, multigrid, operator-dependent prolongation (11 pages, 2006)
86. S. Panda, R. Wegener, N. Marheineke  
**Slender Body Theory for the Dynamics of Curved Viscous Fibers**  
Keywords: curved viscous fibers; fluid dynamics; Navier-Stokes equations; free boundary value problem; asymptotic expansions; slender body theory (14 pages, 2006)
87. E. Ivanov, H. Andrä, A. Kudryavtsev  
**Domain Decomposition Approach for Automatic Parallel Generation of Tetrahedral Grids**  
Key words: Grid Generation, Unstructured Grid, Delaunay Triangulation, Parallel Programming, Domain Decomposition, Load Balancing (18 pages, 2006)
88. S. Tiwari, S. Antonov, D. Hietel, J. Kuhnert, R. Wegener  
**A Meshfree Method for Simulations of Interactions between Fluids and Flexible Structures**  
Key words: Meshfree Method, FPM, Fluid Structure Interaction, Sheet of Paper, Dynamical Coupling (16 pages, 2006)
89. R. Ciegis, O. Iliev, V. Starikovicius, K. Steiner  
**Numerical Algorithms for Solving Problems of Multiphase Flows in Porous Media**  
Keywords: nonlinear algorithms, finite-volume method, software tools, porous media, flows (16 pages, 2006)
90. D. Niedziela, O. Iliev, A. Latz  
**On 3D Numerical Simulations of Viscoelastic Fluids**  
Keywords: non-Newtonian fluids, anisotropic viscosity, integral constitutive equation (18 pages, 2006)



91. A. Winterfeld  
**Application of general semi-infinite Programming to Lapidary Cutting Problems**  
Keywords: large scale optimization, nonlinear programming, general semi-infinite optimization, design centering, clustering  
(26 pages, 2006)
92. J. Orlik, A. Ostrovska  
**Space-Time Finite Element Approximation and Numerical Solution of Hereditary Linear Viscoelasticity Problems**  
Keywords: hereditary viscoelasticity; kern approximation by interpolation; space-time finite element approximation, stability and a priori estimate  
(24 pages, 2006)
93. V. Rutka, A. Wiegmann, H. Andrä  
**EJIM for Calculation of effective Elastic Moduli in 3D Linear Elasticity**  
Keywords: Elliptic PDE, linear elasticity, irregular domain, finite differences, fast solvers, effective elastic moduli  
(24 pages, 2006)
94. A. Wiegmann, A. Zemitis  
**EJ-HEAT: A Fast Explicit Jump Harmonic Averaging Solver for the Effective Heat Conductivity of Composite Materials**  
Keywords: Stationary heat equation, effective thermal conductivity, explicit jump, discontinuous coefficients, virtual material design, microstructure simulation, EJ-HEAT  
(21 pages, 2006)
95. A. Naumovich  
**On a finite volume discretization of the three-dimensional Biot poroelasticity system in multilayered domains**  
Keywords: Biot poroelasticity system, interface problems, finite volume discretization, finite difference method  
(21 pages, 2006)
96. M. Krekel, J. Wenzel  
**A unified approach to Credit Default Swap-tion and Constant Maturity Credit Default Swap valuation**  
Keywords: LIBOR market model, credit risk, Credit Default Swaption, Constant Maturity Credit Default Swap-method  
(43 pages, 2006)
97. A. Dreyer  
**Interval Methods for Analog Circuits**  
Keywords: interval arithmetic, analog circuits, tolerance analysis, parametric linear systems, frequency response, symbolic analysis, CAD, computer algebra  
(36 pages, 2006)
98. N. Weigel, S. Weihe, G. Bitsch, K. Dreßler  
**Usage of Simulation for Design and Optimization of Testing**  
Keywords: Vehicle test rigs, MBS, control, hydraulics, testing philosophy  
(14 pages, 2006)
99. H. Lang, G. Bitsch, K. Dreßler, M. Speckert  
**Comparison of the solutions of the elastic and elastoplastic boundary value problems**  
Keywords: Elastic BVP, elastoplastic BVP, variational inequalities, rate-independency, hysteresis, linear kinematic hardening, stop- and play-operator  
(21 pages, 2006)
100. M. Speckert, K. Dreßler, H. Mauch  
**MBS Simulation of a hexapod based suspension test rig**  
Keywords: Test rig, MBS simulation, suspension, hydraulics, controlling, design optimization  
(12 pages, 2006)
101. S. Azizi Sultan, K.-H. Küfer  
**A dynamic algorithm for beam orientations in multicriteria IMRT planning**  
Keywords: radiotherapy planning, beam orientation optimization, dynamic approach, evolutionary algorithm, global optimization  
(14 pages, 2006)
102. T. Götz, A. Klar, N. Marheineke, R. Wegener  
**A Stochastic Model for the Fiber Lay-down Process in the Nonwoven Production**  
Keywords: fiber dynamics, stochastic Hamiltonian system, stochastic averaging  
(17 pages, 2006)
103. Ph. Süß, K.-H. Küfer  
**Balancing control and simplicity: a variable aggregation method in intensity modulated radiation therapy planning**  
Keywords: IMRT planning, variable aggregation, clustering methods  
(22 pages, 2006)
104. A. Beaudry, G. Laporte, T. Melo, S. Nickel  
**Dynamic transportation of patients in hospitals**  
Keywords: in-house hospital transportation, dial-a-ride, dynamic mode, tabu search  
(37 pages, 2006)
105. Th. Hanne  
**Applying multiobjective evolutionary algorithms in industrial projects**  
Keywords: multiobjective evolutionary algorithms, discrete optimization, continuous optimization, electronic circuit design, semi-infinite programming, scheduling  
(18 pages, 2006)
106. J. Franke, S. Halim  
**Wild bootstrap tests for comparing signals and images**  
Keywords: wild bootstrap test, texture classification, textile quality control, defect detection, kernel estimate, nonparametric regression  
(13 pages, 2007)
107. Z. Drezner, S. Nickel  
**Solving the ordered one-median problem in the plane**  
Keywords: planar location, global optimization, ordered median, big triangle small triangle method, bounds, numerical experiments  
(21 pages, 2007)
108. Th. Götz, A. Klar, A. Unterreiter, R. Wegener  
**Numerical evidence for the non-existing of solutions of the equations describing rotational fiber spinning**  
Keywords: rotational fiber spinning, viscous fibers, boundary value problem, existence of solutions  
(11 pages, 2007)
109. Ph. Süß, K.-H. Küfer  
**Smooth intensity maps and the Bortfeld-Boyer sequencer**  
Keywords: probabilistic analysis, intensity modulated radiotherapy treatment (IMRT), IMRT plan application, step-and-shoot sequencing  
(8 pages, 2007)
110. E. Ivanov, O. Gluchshenko, H. Andrä, A. Kudryavtsev  
**Parallel software tool for decomposing and meshing of 3d structures**  
Keywords: a-priori domain decomposition, unstructured grid, Delaunay mesh generation  
(14 pages, 2007)
111. O. Iliev, R. Lazarov, J. Willems  
**Numerical study of two-grid preconditioners for 1d elliptic problems with highly oscillating discontinuous coefficients**  
Keywords: two-grid algorithm, oscillating coefficients, preconditioner  
(20 pages, 2007)
112. L. Bonilla, T. Götz, A. Klar, N. Marheineke, R. Wegener  
**Hydrodynamic limit of the Fokker-Planck equation describing fiber lay-down processes**  
Keywords: stochastic differential equations, Fokker-Planck equation, asymptotic expansion, Ornstein-Uhlenbeck process  
(17 pages, 2007)
113. S. Rief  
**Modeling and simulation of the pressing section of a paper machine**  
Keywords: paper machine, computational fluid dynamics, porous media  
(41 pages, 2007)
114. R. Ciegis, O. Iliev, Z. Lakdawala  
**On parallel numerical algorithms for simulating industrial filtration problems**  
Keywords: Navier-Stokes-Brinkmann equations, finite volume discretization method, SIMPLE, parallel computing, data decomposition method  
(24 pages, 2007)
115. N. Marheineke, R. Wegener  
**Dynamics of curved viscous fibers with surface tension**  
Keywords: Slender body theory, curved viscous bers with surface tension, free boundary value problem  
(25 pages, 2007)
116. S. Feth, J. Franke, M. Speckert  
**Resampling-Methoden zur mse-Korrektur und Anwendungen in der Betriebsfestigkeit**  
Keywords: Weibull, Bootstrap, Maximum-Likelihood, Betriebsfestigkeit  
(16 pages, 2007)
117. H. Knaf  
**Kernel Fisher discriminant functions – a concise and rigorous introduction**  
Keywords: wild bootstrap test, texture classification, textile quality control, defect detection, kernel estimate, nonparametric regression  
(30 pages, 2007)
118. O. Iliev, I. Rybak  
**On numerical upscaling for flows in heterogeneous porous media**  
Keywords: numerical upscaling, heterogeneous porous media, single phase flow, Darcy's law, multiscale problem, effective permeability, multipoint flux approximation, anisotropy  
(17 pages, 2007)
119. O. Iliev, I. Rybak  
**On approximation property of multipoint flux approximation method**  
Keywords: Multipoint flux approximation, finite volume method, elliptic equation, discontinuous tensor coefficients, anisotropy  
(15 pages, 2007)
120. O. Iliev, I. Rybak, J. Willems  
**On upscaling heat conductivity for a class of industrial problems**  
Keywords: Multiscale problems, effective heat conductivity, numerical upscaling, domain decomposition  
(21 pages, 2007)

121. R. Ewing, O. Iliev, R. Lazarov, I. Rybak  
**On two-level preconditioners for flow in porous media**  
Keywords: Multiscale problem, Darcy's law, single phase flow, anisotropic heterogeneous porous media, numerical upscaling, multigrid, domain decomposition, efficient preconditioner  
(18 pages, 2007)
122. M. Brickenstein, A. Dreyer  
**POLYBORI: A Gröbner basis framework for Boolean polynomials**  
Keywords: Gröbner basis, formal verification, Boolean polynomials, algebraic cryptanalysis, satisfiability  
(23 pages, 2007)
123. O. Wirjadi  
**Survey of 3d image segmentation methods**  
Keywords: image processing, 3d, image segmentation, binarization  
(20 pages, 2007)
124. S. Zeytun, A. Gupta  
**A Comparative Study of the Vasicek and the CIR Model of the Short Rate**  
Keywords: interest rates, Vasicek model, CIR-model, calibration, parameter estimation  
(17 pages, 2007)
125. G. Hanselmann, A. Sarishvili  
**Heterogeneous redundancy in software quality prediction using a hybrid Bayesian approach**  
Keywords: reliability prediction, fault prediction, non-homogeneous poisson process, Bayesian model averaging  
(17 pages, 2007)
126. V. Maag, M. Berger, A. Winterfeld, K.-H. Küfer  
**A novel non-linear approach to minimal area rectangular packing**  
Keywords: rectangular packing, non-overlapping constraints, non-linear optimization, regularization, relaxation  
(18 pages, 2007)
127. M. Monz, K.-H. Küfer, T. Bortfeld, C. Thieke  
**Pareto navigation – systematic multi-criteria-based IMRT treatment plan determination**  
Keywords: convex, interactive multi-objective optimization, intensity modulated radiotherapy planning  
(15 pages, 2007)
128. M. Krause, A. Scherrer  
**On the role of modeling parameters in IMRT plan optimization**  
Keywords: intensity-modulated radiotherapy (IMRT), inverse IMRT planning, convex optimization, sensitivity analysis, elasticity, modeling parameters, equivalent uniform dose (EUD)  
(18 pages, 2007)
129. A. Wiegmann  
**Computation of the permeability of porous materials from their microstructure by FFF-Stokes**  
Keywords: permeability, numerical homogenization, fast Stokes solver  
(24 pages, 2007)
130. T. Melo, S. Nickel, F. Saldanha da Gama  
**Facility Location and Supply Chain Management – A comprehensive review**  
Keywords: facility location, supply chain management, network design  
(54 pages, 2007)
131. T. Hanne, T. Melo, S. Nickel  
**Bringing robustness to patient flow management through optimized patient transports in hospitals**  
Keywords: Dial-a-Ride problem, online problem, case study, tabu search, hospital logistics  
(23 pages, 2007)
132. R. Ewing, O. Iliev, R. Lazarov, I. Rybak, J. Willems  
**An efficient approach for upscaling properties of composite materials with high contrast of coefficients**  
Keywords: effective heat conductivity, permeability of fractured porous media, numerical upscaling, fibrous insulation materials, metal foams  
(16 pages, 2008)
133. S. Gelareh, S. Nickel  
**New approaches to hub location problems in public transport planning**  
Keywords: integer programming, hub location, transportation, decomposition, heuristic  
(25 pages, 2008)
134. G. Thömmes, J. Becker, M. Junk, A. K. Vainkuntam, D. Kehrwald, A. Klar, K. Steiner, A. Wiegmann  
**A Lattice Boltzmann Method for immiscible multiphase flow simulations using the Level Set Method**  
Keywords: Lattice Boltzmann method, Level Set method, free surface, multiphase flow  
(28 pages, 2008)
135. J. Orlik  
**Homogenization in elasto-plasticity**  
Keywords: multiscale structures, asymptotic homogenization, nonlinear energy  
(40 pages, 2008)
136. J. Almquist, H. Schmidt, P. Lang, J. Deitmer, M. Jirstrand, D. Prätzel-Wolters, H. Becker  
**Determination of interaction between MCT1 and CAII via a mathematical and physiological approach**  
Keywords: mathematical modeling; model reduction; electrophysiology; pH-sensitive microelectrodes; proton antenna  
(20 pages, 2008)
137. E. Savenkov, H. Andrä, O. Iliev  
**An analysis of one regularization approach for solution of pure Neumann problem**  
Keywords: pure Neumann problem, elasticity, regularization, finite element method, condition number  
(27 pages, 2008)
138. O. Berman, J. Kalcsics, D. Krass, S. Nickel  
**The ordered gradual covering location problem on a network**  
Keywords: gradual covering, ordered median function, network location  
(32 pages, 2008)
139. S. Gelareh, S. Nickel  
**Multi-period public transport design: A novel model and solution approaches**  
Keywords: Integer programming, hub location, public transport, multi-period planning, heuristics  
(31 pages, 2008)
140. T. Melo, S. Nickel, F. Saldanha-da-Gama  
**Network design decisions in supply chain planning**  
Keywords: supply chain design, integer programming models, location models, heuristics  
(20 pages, 2008)
141. C. Lautensack, A. Särkkä, J. Freitag, K. Schladitz  
**Anisotropy analysis of pressed point processes**  
Keywords: estimation of compression, isotropy test, nearest neighbour distance, orientation analysis, polar ice, Ripley's K function  
(35 pages, 2008)
142. O. Iliev, R. Lazarov, J. Willems  
**A Graph-Laplacian approach for calculating the effective thermal conductivity of complicated fiber geometries**  
Keywords: graph laplacian, effective heat conductivity, numerical upscaling, fibrous materials  
(14 pages, 2008)
143. J. Linn, T. Stephan, J. Carlsson, R. Bohlin  
**Fast simulation of quasistatic rod deformations for VR applications**  
Keywords: quasistatic deformations, geometrically exact rod models, variational formulation, energy minimization, finite differences, nonlinear conjugate gradients  
(7 pages, 2008)
144. J. Linn, T. Stephan  
**Simulation of quasistatic deformations using discrete rod models**  
Keywords: quasistatic deformations, geometrically exact rod models, variational formulation, energy minimization, finite differences, nonlinear conjugate gradients  
(9 pages, 2008)

Status quo: June 2008